

Bag for

Main Fabric:

Two pieces 16" x 13" rectangles, 1/2" seam allowance included

Lining:

Two pieces 16" x 13" rectangles, 1/2" seam allowance included

Outside Pocket:

One piece of Main Fabric 11" x 8" rectangle, 1/4" seam allowance included

One piece of Lining fabric 11" x 8" rectangle, 1/4" seam allowance included

Sew right sides of both pieces together, leaving a small opening.

Turn right sides out – sew opening close. Top stitch top edge.

Place in the centre on Right side of one of the Main Fabrics, approximately 2" below the top edge, and sew the Outside Pocket in place.

Sewing the Bag:

Sew Main fabric pieces, right sides together, with 1/2" seam allowance, on both sides and the bottom. Square off bottom corners.

Sew Lining fabric pieces, right sides together, with 1/2" seam allowance, on both sides and the bottom. Square off bottom corners, leaving about 4" open (unsewn) on one side edge.

Straps

Two pieces, 6" x 11 1/2"

Fold to centre, wrong sides together, then fold in half again, from outside edge to centre. Top stitch both long sides.

Place straps on top edge of Main fabric without the pocket. Baste and pin.

Place Lining outside the bag, with Right sides together. Sew around the top edge.

Turn Right sides out through the 4" opening on the side of the Lining.

Top stitch top edge of bag.

Sew a rectangular piece of Velcro in place on strap end and on the part of strap that is attached to the bag; and on the bag, making sure the straps are not twisted.

LINING



FRONT
POCKET
LINED &
TOP STITCHED
IN PLACE

VELCRO
UNDER
STRAPS
& INSIDE
TOP OF
LARGE
POCKET